

## **Purpose of Presentation**

To provide Council with an update on the status of the project including:

- Design options developed to date
- Stakeholder and public input received to date
- Recommendations for moving forward with the project



**Transitional** 



Residential



Downtown



# Background



## Why?

## Project Rationale

- A need to replace underground infrastructure including:
  - Undersized and aging cast iron watermain circa 1930s
  - Multiple aging clay and brick sanitary sewers circa 1920s, some of which were previously combined storm/sanitary sewers
- Creates an opportunity to:
  - Enhance the existing streetscape
  - Improve the pedestrian space and connectivity
  - Improve accessibility
  - Enhance stormwater management



Typical Cast Iron Watermain After Removal



Partially Collapsed Vitrified Clay Sewer on Walton Street

#### **Evolution of Walton Street**



Early 1900s 1930s 1960s 2000s

- Unpaved roads
- Concrete/wood sidewalks
- Overhead utilities
- Some awnings on store fronts

- Paved roads
- Concrete sidewalks
- Underground utilities
- Angled parking
- Awnings on north side

- Paved roads
- Concrete sidewalks
- Underground utilities
- Parallel parking
- Reduction in awnings

- Paved roads
- Concrete sidewalks
- Underground utilities
- Parallel parking
- No awnings
- Some trees




## **Review of Existing Planning Documents**

- There are 12 extensive Planning Documents that span 1974-2018
- Strong message and policy regarding importance of historic buildings and the unique sense of place and environment that they create in the Downtown
- Policy and incentives to maintain buildings and facades
- The importance of the views that the buildings provide and vistas they create
- The Downtown Design Development Plan was prepared by Basterfield & Associates (B&A) in 2013 and endorsed by Council sets out a number of design directions
- The report provides typical plan-view and cross-sections design illustrations for portions of Walton Street along with discussion of various design elements including gateways, curb extensions (bump-outs), street furniture and tree planting




## Downtown Port Hope Design Development Plan (B&A)








## **Stakeholder Consultation**







### **Public Consultation**



#### Legend



porthope.ca Home Page Banner



Television Municipal Matters

Facebook Post or



Radio Ads





News Paper Ads



Instragram Post

**Boost** 



Film Industry Outreach







## **Design Directions**

A Summary of Overall Design Approach for Key Items

#### **Street Trees**

- Allow building façades to remain the dominant visual element in the downtown core
- Preserve existing memorial trees and remove other trees that are in poorer health
- New tree plantings in targeted locations:
  - Bump-out areas where larger soil volume can be provided to promote tree growth, health and longevity
  - Sloped paving area adjacent to Bell parking lot where trees can fill in gap in building façades
- Maximize tree preservation in the residential area
- Look for opportunities to collaborate with property owners to include new trees on private property where they will be clear of overhead utility lines




Example Struggling Ornamental Pear Tree on Walton Street



Existing Memorial Ginkgo Tree on the North Side of Walton Street (in good condition)

## **Alternate Cycling Facilities**



As presented to Council in 2014, the Cycling Facility Implementation Strategy identified that:

There is insufficient width in the Walton Street right-of-way to provide sidewalks, onstreet parking and cycling lanes.

Alternate Routes Following Realigned Waterfront Trail on Lower Traffic Roads

## **On-Street Parking**

- Balance the retention of on-street parking with the provision of localized bump-outs to enlarge the pedestrian space
- Maintain the current parallel parking format:
  - Various angle/reverse angle parking formats have been considered based on travelled lane and parking space requirements for today's vehicles
  - The 20m (66ft) wide right-of-way does not provide sufficient width for sidewalks, travelled lanes and angle parking
  - Streets with angle parking typically have right-of-way widths of 25m or wider
- Explore opportunities for enhanced accessible parking spaces at key locations during detailed design
- Potential modifications to the layout and type of parking meters will be presented at the next PIC



Current Parallel Parking Arrangement



Historic Angle Parking, no defined spaces and variable angles based on vehicle size




Example of an Enhanced Accessible Parking Space



# **Preliminary Design Elements**

A Summary of Key Design Elements
Included in the Current Preliminary Design


## **Design Concept**





## **Typical Cross-Section**

- Consistent with existing road widths
- Allows for sidewalk widths of about 3.0m
  - Exceeds AODA requirements and allows for some amenities along the sidewalk
- Easily integrated with curb bump-outs or parking patios to enhance pedestrian space



## **Underground Infrastructure**



#### Example Wall Feature to Accommodate Gateway Signage



## **Gateway Features**



#### **East Gateway at Mill St.**

Low wall feature located on existing median and visible from Mill Street


Visual appearance similar to adjacent buildings



#### **Central Gateway at Pine St.**

Two options for traffic calming narrowing of road width (Option 1 shown)

Signage feature with a dry-stone wall appearance on the north side



#### West Gateway at Church St.

Traffic calming bump-out on south side of the street

Low ground cover perennial flowers or shrub plantings in bump-out area

#### **Lent Lane**

- Curb "bump-out" on south side of Walton Street from John Street to east of Ontario Street to create a 5.0m wide sidewalk across the top of Lent Lane
- Planter beds, bollards and fencing (seasonal) to help delineate the pedestrian space from the roadway and intersections
- Benches and table seating through the bump-out area

**Lent Lane** 










## **Walton Street at Ontario Street – Two Options**



#### **Option 1: With North Bump-outs**

Bump-outs on north side with no dedicated turning lanes (right or left)

Shorter pedestrian crossings and more opportunities for pedestrian amenities on the north side of the road and additional parking

Some additional, although manageable, traffic delays associated with left turning traffic


20

#### Option 2: With Left Turn Lane

Like Option 1, includes a long bump-out on the south side connected to Lent Lane

Eastbound left turn lane at Ontario Street remains and westbound right turn lane is eliminated

Westbound through lane is shifted north, which eliminates parking spaces





## **Pedestrian Crossings**



Example Intersection (Main Street Village Markham)



Example of Cavan Street Crossing



Audible and Tactile Signal Push Button



**Tactile Plates** 

- Curb bump-outs have been proposed to improve the alignment of crosswalks and shorten the length of crossings
- Tactile plates are proposed at all drop curbs and crosswalk ramps
- Addition of audible pedestrian signals and other accessibility measures to existing traffic signals
- Replacing painted crosswalks with embedded thermoplastic crosswalks using Traffic Patterns-XD™ or a similar product to provide longer lasting, slip resistant crossing surfaces








Examples of Traffic Patterns-XD™ Surfaces
Colour and Pattern for Walton Street to be Determined

## Walton Street (Pine Street to Brown Street) – Two Options



#### **Option 1: Parking On Both Sides**

Neck-down type bump-outs on both sides of the road for traffic calming

On street parking on both sides of the road remains, south side reserved for funerals

Preserve existing trees in north boulevard, limited opportunities for additional plantings


22

#### Option 2: Widened North Boulevard

Parking eliminated on north side of the road, south side reserved for funerals

North boulevard widened to provide additional green space and improved opportunity for tree planting

Narrower, more constrained road width will assist with traffic calming





## Walton Street (Church Street to Pine Street) - Residential

- Maintaining road width to protect boulevard trees
- No changes to privately owned overhead utilities (electrical, telecom.)
- Preserve on-street parking (one side)





## Walton Street (Church Street to Pine Street) - Residential

- Opportunity for tree planting is limited by overhead utilities
- Plant ornamental sized trees in the boulevard
- Opportunity for collaboration with homeowners to plant on private property so trees can grow to their potential and contribute to the streetscape



Plant ornamental species adjacent to street in strategic locations to avoid conflict with overhead utilities










Examples of trees on adjacent property that contribute to the streetscape



# Wrap-up

Next Steps, Questions & Answers

## What We've Heard







26

CIMA

#### What We've Heard










Public Information Centre 1 Feedback

Key Themes from Narrative Comments









- Consistent support for delaying work in the downtown core to allow for post-pandemic recovery
- Opposing public views related to:
  - the inclusion of bump-outs
  - changes to parking
- Varying approaches for closure to vehicular traffic suggested:
  - A full permanent closure would have numerous impacts beyond the closure area and is complicated by the nature of the existing road network and topography
- Requests for bury of private overhead utilities west of Pine Street
  - Cost the municipality in excess of \$1 million



## **Next Steps**

- Split Project:
  - Proceed with construction west of Pine Street in 2022
  - Additional consultation east of Pine Street (in downtown) and construction in 2023
- Temporary trial of left-turn lane removal at Ontario Street

